



MYBPC3 gene

myosin binding protein C, cardiac

Normal Function

The *MYBPC3* gene provides instructions for making the cardiac myosin binding protein C (cardiac MyBP-C), which is found in heart (cardiac) muscle cells. In these cells, cardiac MyBP-C is associated with a structure called the sarcomere, which is the basic unit of muscle contraction. Sarcomeres are made up of thick and thin filaments. The overlapping thick and thin filaments attach to each other and release, which allows the filaments to move relative to one another so that muscles can contract. Regular contractions of cardiac muscle pump blood to the rest of the body.

In cardiac muscle sarcomeres, cardiac MyBP-C attaches to thick filaments and keeps them from being broken down. Cardiac MyBP-C has chemical groups called phosphate groups attached to it; when the phosphate groups are removed, cardiac MyBP-C is broken down, followed by the breakdown of the proteins of the thick filament. Cardiac MyBP-C also regulates the rate of muscle contraction, although the mechanism is not fully understood.

Health Conditions Related to Genetic Changes

familial dilated cardiomyopathy

familial hypertrophic cardiomyopathy

Mutations in the *MYBPC3* gene are a common cause of familial hypertrophic cardiomyopathy, accounting for up to 30 percent of all cases. This condition is characterized by thickening (hypertrophy) of the cardiac muscle. Although some people with familial hypertrophic cardiomyopathy have no obvious health effects, all affected individuals have an increased risk of heart failure and sudden death.

MYBPC3 gene mutations that cause familial hypertrophic cardiomyopathy lead to an abnormally short or otherwise altered cardiac MyBP-C protein. It is unknown how these changes cause hypertrophy of the heart muscle.

other disorders


Mutations in the *MYBPC3* gene have been associated with other heart conditions. Mutations have been found in people with dilated cardiomyopathy and left ventricular noncompaction. However, the role *MYBPC3* gene mutations play in either condition is unclear. Dilated cardiomyopathy weakens and enlarges the heart, preventing it from pumping blood efficiently. Affected individuals have an increased risk of

heart failure and premature death. Left ventricular noncompaction occurs when the lower left chamber of the heart (left ventricle) does not develop correctly. The heart muscle is weakened and cannot pump blood efficiently, often leading to heart failure. Abnormal heart rhythms (arrhythmias) can also occur in individuals with left ventricular noncompaction.

Chromosomal Location

Cytogenetic Location: 11p11.2, which is the short (p) arm of chromosome 11 at position 11.2

Molecular Location: base pairs 47,331,406 to 47,352,702 on chromosome 11 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- C-protein, cardiac muscle isoform
- MYBP-C
- myosin-binding protein C, cardiac-type
- MYPC3_HUMAN

Additional Information & Resources

Educational Resources

- Molecular Biology of the Cell (fourth edition, 2002): Muscle Contraction Depends on the Sliding of Myosin II and Actin Filaments
<https://www.ncbi.nlm.nih.gov/books/NBK26888/#A3065>
- The Cell: A Molecular Approach (second edition, 2000): Muscle Contraction
<https://www.ncbi.nlm.nih.gov/books/NBK9961/#A1791>

GeneReviews

- Dilated Cardiomyopathy Overview
<https://www.ncbi.nlm.nih.gov/books/NBK1309>
- Hypertrophic Cardiomyopathy Overview
<https://www.ncbi.nlm.nih.gov/books/NBK1768>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28MYBPC3%5BTIAB%5D%29+OR+%28cardiac+myosin+binding+protein+C%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D>

OMIM

- MYOSIN-BINDING PROTEIN C, CARDIAC
<http://omim.org/entry/600958>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_MYBPC3.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=MYBPC3%5Bgene%5D>
- HGNC Gene Family: Fibronectin type III domain containing
<http://www.genenames.org/cgi-bin/genefamilies/set/555>
- HGNC Gene Family: I-set domain containing
<http://www.genenames.org/cgi-bin/genefamilies/set/593>
- HGNC Gene Family: Myosin binding proteins
<http://www.genenames.org/cgi-bin/genefamilies/set/658>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=7551
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/4607>
- UniProt
<http://www.uniprot.org/uniprot/Q14896>

Sources for This Summary

- António M, Costa C, Venâncio M, Martins P, Dionísio T, Pires A, Sousa G, Santos I, Mota A, Duarte R, Costa H, Ribeiro L, Saraiva J, Castela E. Left ventricular noncompaction: analysis of a pediatric population. *Rev Port Cardiol.* 2011 Mar;30(3):295-311. English, Portuguese.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21638988>
- Bashyam MD, Savithri GR, Kumar MS, Narasimhan C, Nallari P. Molecular genetics of familial hypertrophic cardiomyopathy (FHC). *J Hum Genet.* 2003;48(2):55-64. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12601548>
- Dellefave LM, Pytel P, Mewborn S, Mora B, Guris DL, Fedson S, Waggoner D, Moskowitz I, McNally EM. Sarcomere mutations in cardiomyopathy with left ventricular hypertrabeculation. *Circ Cardiovasc Genet.* 2009 Oct;2(5):442-9. doi: 10.1161/CIRCGENETICS.109.861955. Epub 2009 Jul 24.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20031619>
- Hershberger RE, Norton N, Morales A, Li D, Siegfried JD, Gonzalez-Quintana J. Coding sequence rare variants identified in MYBPC3, MYH6, TPM1, TNNC1, and TNNI3 from 312 patients with familial or idiopathic dilated cardiomyopathy. *Circ Cardiovasc Genet.* 2010 Apr;3(2):155-61. doi: 10.1161/CIRCGENETICS.109.912345. Epub 2010 Mar 9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20215591>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2908892/>
- Keren A, Syrris P, McKenna WJ. Hypertrophic cardiomyopathy: the genetic determinants of clinical disease expression. *Nat Clin Pract Cardiovasc Med.* 2008 Mar;5(3):158-68. doi: 10.1038/ncpcardio1110. Epub 2008 Jan 29. Review. Erratum in: *Nat Clin Pract Cardiovasc Med.* 2008 Nov; 5(11):747.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18227814>
- Kulikovskaya I, McClellan GB, Levine R, Winegrad S. Multiple forms of cardiac myosin-binding protein C exist and can regulate thick filament stability. *J Gen Physiol.* 2007 May;129(5):419-28. Erratum in: *J Gen Physiol.* 2009 Feb;133(2):225.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17470661>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2154376/>
- OMIM: MYOSIN-BINDING PROTEIN C, CARDIAC
<http://omim.org/entry/600958>
- Marston S, Copeland O, Gehmlich K, Schlossarek S, Carrier L. How do MYBPC3 mutations cause hypertrophic cardiomyopathy? *J Muscle Res Cell Motil.* 2012 May;33(1):75-80. doi: 10.1007/s10974-011-9268-3. Epub 2011 Nov 5. Review. Erratum in: *J Muscle Res Cell Motil.* 2012 May; 33(1):81. Carrrier, Lucie [corrected to Carrier, Lucie].
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22057632>
- Marston SB. How do mutations in contractile proteins cause the primary familial cardiomyopathies? *J Cardiovasc Transl Res.* 2011 Jun;4(3):245-55. doi: 10.1007/s12265-011-9266-2. Epub 2011 Mar 22. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21424860>
- Møller DV, Andersen PS, Hedley P, Ersbøll MK, Bundgaard H, Moolman-Smook J, Christiansen M, Køber L. The role of sarcomere gene mutations in patients with idiopathic dilated cardiomyopathy. *Eur J Hum Genet.* 2009 Oct;17(10):1241-9. doi: 10.1038/ejhg.2009.34. Epub 2009 Mar 18.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19293840>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2986634/>

- Previs MJ, Beck Previs S, Gulick J, Robbins J, Warshaw DM. Molecular mechanics of cardiac myosin-binding protein C in native thick filaments. *Science*. 2012 Sep 7;337(6099):1215-8. doi: 10.1126/science.1223602. Epub 2012 Aug 23.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22923435>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3561468/>
- Probst S, Oechslin E, Schuler P, Greutmann M, Boyé P, Knirsch W, Berger F, Thierfelder L, Jenni R, Klaassen S. Sarcomere gene mutations in isolated left ventricular noncompaction cardiomyopathy do not predict clinical phenotype. *Circ Cardiovasc Genet*. 2011 Aug 1;4(4):367-74. doi: 10.1161/CIRCGENETICS.110.959270. Epub 2011 May 6.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21551322>
- Rodríguez JE, McCudden CR, Willis MS. Familial hypertrophic cardiomyopathy: basic concepts and future molecular diagnostics. *Clin Biochem*. 2009 Jun;42(9):755-65. doi: 10.1016/j.clinbiochem.2009.01.020. Epub 2009 Feb 9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19318019>
- Waldmüller S, Erdmann J, Binner P, Gelbrich G, Pankweit S, Geier C, Timmermann B, Haremza J, Perrot A, Scheer S, Wachter R, Schulze-Waltrup N, Dermintzoglou A, Schönberger J, Zeh W, Jurmann B, Brodherr T, Börgel J, Farr M, Milting H, Blankenfeldt W, Reinhardt R, Özcelik C, Osterziel KJ, Loeffler M, Maisch B, Regitz-Zagrosek V, Schunkert H, Scheffold T; German Competence Network Heart Failure. Novel correlations between the genotype and the phenotype of hypertrophic and dilated cardiomyopathy: results from the German Competence Network Heart Failure. *Eur J Heart Fail*. 2011 Nov;13(11):1185-92. doi: 10.1093/eurjhf/hfr074. Epub 2011 Jul 12.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21750094>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/gene/MYBPC3>

Reviewed: February 2013

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services